

## Capillary origami in nature

Sunghwan Jung, Pedro M. Reis, Jillian James, Christophe Clanet, John Bush

► **To cite this version:**

Sunghwan Jung, Pedro M. Reis, Jillian James, Christophe Clanet, John Bush. Capillary origami in nature. *Physics of Fluids*, American Institute of Physics, 2009, 21 (9), pp.091110. <10.1063/1.3205918>. <hal-01025627>

**HAL Id: hal-01025627**

**<https://hal-polytechnique.archives-ouvertes.fr/hal-01025627>**

Submitted on 18 Jul 2014

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



## Capillary origami in nature

Sunghwan Jung, Pedro M. Reis, Jillian James, Christophe Clanet, and John W. M. Bush

Citation: *Physics of Fluids* (1994-present) **21**, 091110 (2009); doi: 10.1063/1.3205918

View online: <http://dx.doi.org/10.1063/1.3205918>

View Table of Contents: <http://scitation.aip.org/content/aip/journal/pof2/21/9?ver=pdfcov>

Published by the [AIP Publishing](#)

---

### Articles you may be interested in

[An extended Bretherton model for long Taylor bubbles at moderate capillary numbers](#)

*Phys. Fluids* **26**, 032107 (2014); 10.1063/1.4868257

[Entrainment of a film on a surface from the meniscus of a liquid wedge during coating](#)

*Phys. Fluids* **21**, 102001 (2009); 10.1063/1.3240396

[Decomposition of a two-layer thin liquid film flowing under the action of Marangoni stresses](#)

*Phys. Fluids* **18**, 112101 (2006); 10.1063/1.2387866

[Dancing droplets onto liquid surfaces](#)

*Phys. Fluids* **18**, 091106 (2006); 10.1063/1.2335905

[Effect of capillary and viscous forces on spreading of a liquid drop impinging on a solid surface](#)

*Phys. Fluids* **17**, 093104 (2005); 10.1063/1.2038367

---



**AIP** | Journal of  
Applied Physics

*Journal of Applied Physics* is pleased to  
announce **André Anders** as its new Editor-in-Chief




FIG. 1. (Color)




FIG. 2. (Color)

### Capillary origami in nature

Sunghwan Jung,<sup>1</sup> Pedro M. Reis,<sup>1</sup> Jillian James,<sup>1</sup> Christophe Clanet,<sup>2</sup> and John W. M. Bush<sup>1</sup>

<sup>1</sup>Department of Mathematics, Massachusetts Institute

of Technology, Cambridge, Massachusetts 02139, USA

<sup>2</sup>LadHyX, Ecole Polytechnique, Palaiseau 91128, France

(Received 20 July 2009; published online 11 September 2009)

[doi:10.1063/1.3205918]

Capillary forces dominate gravity on a small scale and may deform flexible bodies in both natural and laboratory settings.<sup>1</sup> Two examples are considered here: floating flowers and spider webs.

Some flowers float on the water surface with their weight supported and shape determined by the combined influence of elastic, capillary, and hydrostatic forces (Fig. 1). Analogous artificial flowers cut out of a flexible polymer sheet similarly deform when submerged (Fig. 2). In the extreme case of complete submergence, the flower may close




FIG. 3. (Color)




FIG. 4. (Color)

completely, staying dry inside by trapping an enclosed air bubble. When the experiment is inverted, and the artificial flower is withdrawn from the water surface, it instead traps a water droplet of fixed volume, and so serves as an elastocapillary pipette (Fig. 3).

The spider capture threads that run circumferentially around spider webs are typically coated with a viscous fluid. Capillary instability of this film prompts its evolution into a series of fluid droplets, inside of which the slack elastic thread wraps into a series of coils. The result is a characteristic windlass mechanism:<sup>2</sup> When the prey strikes the web, the coil unravels within the drop, and the associated viscous damping prevents the prey from being ejected.<sup>3</sup> Analogous laboratory experiments mimic the instability of the spider web (Fig. 4). The elastocapillary instability of a helical elastic thread immersed in silicone oil results in a wavelength prescribed by the interfacial tension and the spring's initial loading.

<sup>1</sup>C. Py, P. Reverdy, L. Doppler, J. Bico, B. Roman, and C. N. Baroud, "Capillary origami: Spontaneous wrapping of a droplet with an elastic sheet," *Phys. Rev. Lett.* **98**, 156103 (2007).

<sup>2</sup>F. Vollrath and D. T. Edmonds, "Modulation of the mechanical properties of spider silk by coating with water," *Nature (London)* **340**, 305 (1989).

<sup>3</sup>Animal Planet and BBC, "Life in the undergrowth," DVD. BBC (UK) (2005).